

Video Synchronizer



Video Synchronizer VE510 jest urządzeniem służącym do kompensaty zjawiska opóźnień sygnału video na większych odległościach przy stosowaniu video extenderów i extenderów KVM.


Cechy:

- Ręczna regulacja synchronizacji opóźnień
- Pamięć pozwalająca na zapis ustawień
- Diodowy wskaźnik do monitorowania stanu
- Łatwy w instalacji
- Niewielkie rozmiary pozwalające na montaż na powierzchniach pionowych i poziomych
- Kompatybilny z video extenderami ATEN i extenderami KVM ATEN.
- Montowany pomiędzy monitorem a źródłem sygnału (odbiorczej części extendera lub komputerem)





Diagram:



Specyfikacja:

Connectors	Video In	1 x HDB-15 Male (Blue)
	Video Out	1 x HDB-15 Female (Blue)
	Power Jack 1	1 x DC 5V Jack
	Power Jack 2	1 x DC 5.3V Jack
Switches	R/G/B Selection	2 x Pushbutton
	R/G/B Delay Tuner	2 x Pushbutton
	Memory/Setting/ Recall/ Reset	1 x Pushbutton
LEDs	Power	1 (Orange)
	Red	1 (Red)
	Green	1 (Green)
	Blue	1 (Blue)
Power Consumption		DC 5.3V 1.48 W ; DC 5V 1.48W
Environment	Operating Temp.	0-50°C
	Storage Temp.	-20-60°C
	Humidity	0~80% RH, Non-condensing
Physical Properties	Housing	Metal
	Weight	0.21 kg
	Dimensions (L x W x H)	11.02 x 7.90 x 2.44 cm