

Przełącznik HDTV 2 port



Przełącznik 2-portowy HDTV Audio/Video. Umożliwia podłączenie do telewizora lub zestawu kina domowego dwóch

źródeł sygnału (np. tuner TV sat, konsola do gier, komputer PC lub MAC) i łatwe przełączanie się pomiędzy nimi.

Cechy:

- Obsługa urządzeń generujących obraz i dźwięk wysokiej jakości (Hi-Def) poprzez złącze YPbPr.
- Przełączanie za pomocą pilota lub na panelu czołowym przełącznika
- Szerokość pasma wideo - 250MHz
- Obsługa toru audio - stereo
- Łatwa instalacja


Widok z przodu:



Widok z tyłu:



Diagram:



Specyfikacja:

Connections			2		
Port Selection			Front panel switches, IR remote controller		
Connectors	Input	Video	Y	2 x RCA Female (Green)	
			Pb	2 x RCA Female (Blue)	
			Pr	2 x RCA Female (Red)	
		Audio	L	2 x RCA Female (White)	
			R	2 x RCA Female (Red)	
			Output	Video	Y
	Pb	1 x RCA Female (Blue)			
	Pr	1 x RCA Female (Red)			
	Audio	L		1 x RCA Female (White)	
		R		1 x RCA Female (Red)	
	Power		1 x DC Jack		
	LEDs	Online		2 (Orange)	
		Selected		2 (Green)	
	Buttons	Port Selection		2	

Power Consumption		DC 5.3V, 0.8W
Video		1600 x 1200 @ 60Hz; DDC2B and 480p, 720p, 1080i, 1080p
Video Bandwidth		250MHz
Environment	Operating Temperature	0 ~50° C
	Storage Temperature	-20 ~ 60° C
	Humidity	0 - 80% RH, Non-condensing
Physical Properties	Housing	Metal
	Weight	0.65kg
	Dimension (L x W x H)	20 x 7.5 x 4.5 cm