

Video Splitter 4 port ATEN




Video Splitter VS-84

Cechy:

- Możliwość rozproszczenia sygnału wideo z jednego komputera do 4 monitorów
- Obsługiwana częstotliwość 250MHz
- Wzmocnienie sygnału Video na dystansie do 65m
- Obsługuje DDC, DDC2, DDC2B (tylko 1 port)

- Możliwość połączenia kaskadowego z innymi spliterami (do 3 poziomów)
- W komplecie zasilacz 250mA i kabel VGA do podłączenia komputera
- Dołączony kabel VGA do połączenia splitera z wyjściem karty graficznej (HDDB15M/HDDB15F) 1.8m
- Konstrukcja pozwala na montaż na powierzchniach pionowych
- Doskonale nadaje się do multimedialnych prezentacji, video konferencji, reklamy na targach i ekspozycji sklepowych.

Diagram:



Specyfikacja:

Function		VS88
Display Connections		1
Connectors	Video In	1 x HDB-15 Male (Blue)
	Video Out	8 x HDB-15 Female (Blue)
	Power	1 x DC Jack (Black)
LEDs	Power	1 (Orange)
VGA Bandwidth		200 MHz
Video		1920 x 1440 max
Signal Range		Up to 65m (210')
Power Consumption		DC9V, 2.5W (Max.)
Environment	Operating Temp.	0-50°C
	Storage Temp.	-20-60°C
	Humidity	0-80% RH, Non-condensing
Physical Properties	Housing	Plastic
	Weight	0.22 kg
	Dimensions (L x W x H)	15.59x9.79x3.33 cm