


Printed on recycled paper



## Fuji Electric Co.,Ltd.

12-1 Yurakucho 1-chome, Chiyoda-ku, Tokyo, 100 Japan  
Phone : 3-3211-1421  
Fax : 3-3211-7981  
Telex : J22331 FUJIELEA or FUJIELEB



# CERTIFICATE OF CONFORMANCE



**FROM:**  
 HARRIS SEMICONDUCTOR  
 BUILDING 61  
 PALM BAY ROAD  
 PALM BAY  
 FL 32905  
 UNITED STATES

**CAGE CODE:** 34371

**SHIP TO:** 017649  
 HARRIS SEMICONDUCTOR  
 C-O FOSTER & WAGER  
 7696 MOUNTAIN ASH  
 LIVERPOOL  
 NY 13090  
 UNITED STATES

**SOLD TO:** 000020  
 HARRIS SEMICONDUCTOR  
 PO BOX 883  
 MELBOURNE  
 FL 32905  
 UNITED STATES

**HARRIS PART #:** ICL8038BMJD/883B  
**PRODUCT CONFORMS TO:** MIL-PRF-38535  
**PRODUCT ASSURANCE LEVEL:** M

**PROD. LINE CODE:** V3M  
**PROD. DIST. CTR:** VV

LINE ITEM	SEQ NUM
001	000

**QTY THIS LINE ITEM:** 6  
**TOTAL QTY THIS SHIPMENT:** 6

SM06449 - H3B 9530 - 6

*Shuman*  
 08 DEC 1996

QUALITY REPRESENTATIVE DATE

## SHIPPING INFORMATION

<b>SALES ORDER #:</b> SM674296	<b>REL:</b>
<b>PO#:</b> SAMPLE120596JRS	
<b>LEGAL ENTITY:</b> 01	
<b>PACKSIP #:</b> LE2715	
<b>CUSTOMER TYPE:</b> 042 SUBSIDIARY (SAMPLES & IPRS)	
<b>CUSTOMER REFERENCE PART #:</b>	
<b>VAT / DUTY:</b>	

This is to certify that all items included in this shipment have been inspected and conform in all respects to the specifications and requirements applicable to the above referenced purchase order. Records for traceability are available for review if furnished by specification. The inclusion remarks for non-conformance of an item with this certificate is not a guarantee to the customer. Harris Semiconductor is not responsible for any damage to the product.



# GROUP B

## Attributes Data

in Accordance with MIL-STD-883  
Method 5005

Lot Id: YM06449 Date Code: H3B9530 Harris Part #: ICL8038BMJD/883B  
Country of Origin: HAT Lead Finish: A Pkg Code: FCE 14 CDIP

Subgroup	Description	Method	LTPD	S/S	Rej	Date Tested
B-2	Resistance to Solvents	2015		3 (0)	<u>0</u>	<u>24 NOV 95</u>
B-3	Solderability	2003	10	22/0	<u>0</u>	<u>25 NOV 95</u>
B-5	Bond Strength	2011	15	15/0	<u>0</u>	<u>24 NOV 95</u>

Harris Advanced Technology hereby certifies that the above listed tests were successfully completed on the lot specified.

Approved by: SARINAH 072421  
Quality Inspector

25 NOV 95  
Date



Stamp #

*[Signature]*  
Manager, Q.A.

25 NOV 95  
Date

**HARRIS ADVANCED TECHNOLOGY (MALAYSIA) SDN BHD**

NO. 73, LORONG ENGGANG, ULU KELANG FREE TRADE ZONE, G.P.O. BOX 12311, 50774 KUALA LUMPUR, MALAYSIA  
TEL: 03-4576222/03-4566011 FAX: 03-4579240/03-4562414 TELEX: MA 30905/MA 30470





# GROUP A

## Attributes Data

in accordance with MIL-STD-883  
Method 5005

Lot ID: YM06449 Date Code: H3B9530 Harris Part #: ICL8038BMJD/883B

<u>Subgroup</u>	<u>Description</u>	<u>S/S</u>	<u>Reject</u>	<u>Date Tested</u>
A-1	Static Test @25 Deg C	<u>116</u>	<u>0</u>	<u>22 NOV 95</u>
A-2	Static Test @125 Deg C	<u>116</u>	<u>0</u>	<u>22 NOV 95</u>
A-3	Static Test @-55 Deg C	<u>116</u>	<u>0</u>	<u>22 NOV 95</u>
A-4	Dynamic @25 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-5	Dynamic @125 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-6	Dynamic @-55 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-7	Functional @25 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-8a	Functional @125 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-8b	Functional @-55 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-9	Switching @25 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-10	Switching @125 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>
A-11	Switching @-55 Deg C	<u>N/A</u>	<u>      </u>	<u>      </u>

Harris Semiconductor hereby certifies that the above listed tests were successfully completed on the lot specified.

Approved By: NOORAISHAH 038828  
Quality Inspector

26 JAN 96  
Date



        
Stamp

        
Manager Q.A.

26 JAN 96  
Date

**HARRIS ADVANCED TECHNOLOGY (MALAYSIA) SDN BHD**

NO. 73, LORONG ENGGANG, ULU KELANG FREE TRADE ZONE, G.P.O. BOX 12311, 50774 KUALA LUMPUR, MALAYSIA  
TEL: 03-4576222/03-4566011 FAX: 03-4579240/03-4562414 TELEX: MA 30905/MA 30470