

QNAP TVS-673-8G 6-BAY

CPU	AMD R-Series RX-421BD quad-core 2.1 GHz processor, burst up to 3.4 GHz
Hardware Encryption Acceleration	Yes, AES-NI
Graphics	Embedded Radeon™ R7 Graphics Processor
System Memory	TVS-673-64G: 64GB DDR4 (4 x 16GB) TVS-673-16G: 16GB DDR4 (2 x 8GB) TVS-673-8G: 8GB DDR4 (2 x 4GB)
Maximum Memory	64GB
Memory Slot	4 x SODIMM DDR4 (For dual- or quad-DIMM configurations, you must use a pair of identical DDR4 modules.)
Flash Memory	512MB DOM
Hard Disk Drive	6 x 3.5"/2.5" SATA 6Gb/s HDDs/SSDs 2 x 2280/2260 SATA 6Gb/s
M.2 SSD Slot	Note: M.2 SSD operations can easily generate excessive heat. It is recommended to install a heatsink (from QNAP or a third-party provider) on the M.2 SSD.
LAN Port	4 x Gigabit RJ45 LAN ports
PCIe Slot	2 x PCIe Gen 3 (x4), one slot is pre-installed with a dual-port USB 3.1 Type-A card
LCD Panel	Mono-LCD display with backlight, Enter and Select buttons for configuration
USB	2 x USB 3.1 port, and 4 x USB 3.0 Type-A port
HDMI	2, up to 3840 x 2160 @ 30Hz resolution
LED Indicator	Status/Power, USB, LAN, Drive 1-6, M.2 SSD 1-2
Button	Power/Status, USB one-touch-backup, Reset
IR Receiver	Yes, support QNAP RM-IR004 and MCE-compatible remotes
Others	Kensington security slot, system maintenance port
Form Factor	Tower
Dimension (H x W x D)	188.2 x 264.3 x 279.6 mm 7.41 x 10.4 x 11.01 inch
Weight	5.63 kg / 12.41 lbs
Operating Temperature	0 ~ 40°C
Relative Humidity	5~95% RH non-condensing, wet bulb: 27°C
Power	ATX 240W, 100-240V AC, 50-60Hz, 3.5A
Fan	2 x 9cm