




Contact in 0-position
normally closed (NC)
Additional code -0



Contact in 0-position
normally open (NO)
Additional code -1




Contact to your arrangement
Additional code -X



Contact 5 05 = direction 1/4/5/8



Contact 3 03 = direction 2/3/6/7





Customer _____ Order No. _____

Multi-axis controller
Left / right
Indicating label
Black
Engraved white
Lettering height
3,5 mm



Direction 1-2 / 5-6 _____ Direction 3-4 / 7-8 _____

Switching program _____ Switching program _____

Drive _____ Plant ref. _____ Drive _____ Plant ref. _____

Switching sequence

Destination	01	02	03	04	05	06	07	08	09	10	11	12
1/01	2/02	3/03	4/04	5/05	6/06	7/07	8/08	9/09	10/10	11/11	12/12	

Spring return
 Friction brake
 Special switching sequence _____

Switching sequence

Destination	01	02	03	04	05	06	07	08	09	10	11	12
1/01	2/02	3/03	4/04	5/05	6/06	7/07	8/08	9/09	10/10	11/11	12/12	

Spring return
 Friction brake
 Special switching sequence _____

Additional functions in the control-handle _____

Dead man's button T Signal button H Push button D
 Destination _____ Destination _____ Function _____ Destination _____

Control-handle long or short _____ mm _____

Gate cross-shaped Gate special-shaped (enclose drawing)


Type key: Type _____

X = _____



Customer _____ Order No. _____

Equipment box left	Position No.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Destination	Notes
	1	_____	_____	_____	_____	_____	_____
	2	_____	_____	_____	_____	_____	_____
	3	_____	_____	_____	_____	_____	_____
	4	_____	_____	_____	_____	_____	_____
	5	_____	_____	_____	_____	_____	_____
	6	_____	_____	_____	_____	_____	_____
	7	_____	_____	_____	_____	_____	_____
	8	_____	_____	_____	_____	_____	_____
	9	_____	_____	_____	_____	_____	_____
	10	_____	_____	_____	_____	_____	_____
	11	_____	_____	_____	_____	_____	_____
	12	_____	_____	_____	_____	_____	_____
	13	_____	_____	_____	_____	_____	_____
	14	_____	_____	_____	_____	_____	_____
	15	_____	_____	_____	_____	_____	_____
	16	_____	_____	_____	_____	_____	_____
	17	_____	_____	_____	_____	_____	_____
	18	_____	_____	_____	_____	_____	_____
	19	_____	_____	_____	_____	_____	_____
	20	_____	_____	_____	_____	_____	_____
	21	_____	_____	_____	_____	_____	_____
	22	_____	_____	_____	_____	_____	_____
	23	_____	_____	_____	_____	_____	_____
	24	_____	_____	_____	_____	_____	_____
Control unit (look 2/020 ...)							No. of pieces max.
Type							
KST 2/3	1 - 6, 8 - 13, 15 - 18						16
KST 41/181	1 - 5, 10 - 12						8
KST 42/182	1 - 5, 8 - 12, 15 - 17						13
KST 51/151	3 - 7, 10 - 14, 15 - 19, 20 - 24						20
KST 52/54/152/154	1 - 24						24
KST 6	3 - 4, 10 - 11, 15 - 16						6
KST 7	1 - 24						24
KST 75	1 - 19						19




Maximum installation of command and indicating devices 22 (look 1/360) in our control units and housings if our multi-axis controllers V 62 (look 1/100) are used. Additional command and indicating devices can be installed if multi-axis controller V 64 or V 11 (look 1/110) are used. (please enquire)



Customer _____ Order No. _____

Position Nr.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Destination	Notes
25	_____	_____	_____	_____	_____	_____
26	_____	_____	_____	_____	_____	_____
27	_____	_____	_____	_____	_____	_____
28	_____	_____	_____	_____	_____	_____
29	_____	_____	_____	_____	_____	_____
30	_____	_____	_____	_____	_____	_____
31	_____	_____	_____	_____	_____	_____
32	_____	_____	_____	_____	_____	_____
33	_____	_____	_____	_____	_____	_____
34	_____	_____	_____	_____	_____	_____
35	_____	_____	_____	_____	_____	_____
36	_____	_____	_____	_____	_____	_____
37	_____	_____	_____	_____	_____	_____
38	_____	_____	_____	_____	_____	_____
39	_____	_____	_____	_____	_____	_____
40	_____	_____	_____	_____	_____	_____
41	_____	_____	_____	_____	_____	_____
42	_____	_____	_____	_____	_____	_____
43	_____	_____	_____	_____	_____	_____
44	_____	_____	_____	_____	_____	_____
45	_____	_____	_____	_____	_____	_____
46	_____	_____	_____	_____	_____	_____
47	_____	_____	_____	_____	_____	_____
48	_____	_____	_____	_____	_____	_____

Equipment box right





Maximum installation of command and indicating devices 22 (look 1/360) in our control units and housings if our multi-axis controllers V 62 (look 1/100) are used. Additional command and indicating devices can be installed if multi-axis controller V 64 or V 11 (look 1/110) are used.
(please enquire)

	No. of pieces max.	Control unit (look 2/020 ...)
25 - 30, 32 - 37, 39 - 42	16	Type
25 - 29, 34 - 36	8	KST 2/3
25 - 29, 32 - 36, 39 - 41	13	KST 41/181
27 - 31, 34 - 38, 39 - 43, 44 - 48	20	KST 42/182
25 - 48	24	KST 51/151
27 - 28, 34 - 35, 39 - 40	6	KST 52/54/152/154
25 - 48	24	KST 6
25 - 43	19	KST 7
		KST 75



Customer _____ Order No. _____


Equipment box left	Position Nr.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Destination	Notes
 <p>Max. 6 pcs. installation of command and indicating devices 22 (look 1/360) or 1 pcs. monitoring device 72 x 72 mm</p> <p>Multi-axis controller V 64 (look 1/100) or V 11 (look 1/110)</p> <p>Max. 3 pcs. installation of command and indicating devices 22 (look 1/360)</p> <p>Place to put on devices</p>	1	_____	_____	_____	_____	_____	_____
	2	_____	_____	_____	_____	_____	_____
	3	_____	_____	_____	_____	_____	_____
	4	_____	_____	_____	_____	_____	_____
	5	_____	_____	_____	_____	_____	_____
	6	_____	_____	_____	_____	_____	_____
	7	_____	_____	_____	_____	_____	_____
	8	_____	_____	_____	_____	_____	_____
	9	_____	_____	_____	_____	_____	_____
	10	_____	_____	_____	_____	_____	_____
	11	_____	_____	_____	_____	_____	_____
	12	_____	_____	_____	_____	_____	_____

Equipment box right	Position Nr.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Destination	Notes
 <p>Max. 6 pcs. installation of command and indicating devices 22 (look 1/360) or 1 pcs. monitoring device 72 x 72 mm</p> <p>Multi-axis controller V 64 (look 1/100) or V 11 (look 1/110)</p> <p>Max. 3 pcs. installation of command and indicating devices 22 (look 1/360)</p> <p>Place to put on devices</p>	13	_____	_____	_____	_____	_____	_____
	14	_____	_____	_____	_____	_____	_____
	15	_____	_____	_____	_____	_____	_____
	16	_____	_____	_____	_____	_____	_____
	17	_____	_____	_____	_____	_____	_____
	18	_____	_____	_____	_____	_____	_____
	19	_____	_____	_____	_____	_____	_____
	20	_____	_____	_____	_____	_____	_____
	21	_____	_____	_____	_____	_____	_____
	22	_____	_____	_____	_____	_____	_____
	23	_____	_____	_____	_____	_____	_____
	24	_____	_____	_____	_____	_____	_____



Customer _____ Order No. _____

Equipment box left



Position Nr.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Destination	Notes
1	_____	_____	_____	_____	_____	_____
2	_____	_____	_____	_____	_____	_____
3	_____	_____	_____	_____	_____	_____
4	_____	_____	_____	_____	_____	_____
5	_____	_____	_____	_____	_____	_____
6	_____	_____	_____	_____	_____	_____
7	_____	_____	_____	_____	_____	_____
8	_____	_____	_____	_____	_____	_____
9	_____	_____	_____	_____	_____	_____
10	_____	_____	_____	_____	_____	_____
11	_____	_____	_____	_____	_____	_____
12	_____	_____	_____	_____	_____	_____
13	_____	_____	_____	_____	_____	_____
14	_____	_____	_____	_____	_____	_____
15	_____	_____	_____	_____	_____	_____
16	_____	_____	_____	_____	_____	_____
17	_____	_____	_____	_____	_____	_____
18	_____	_____	_____	_____	_____	_____
19	_____	_____	_____	_____	_____	_____
20	_____	_____	_____	_____	_____	_____
21	_____	_____	_____	_____	_____	_____
22	_____	_____	_____	_____	_____	_____
23	_____	_____	_____	_____	_____	_____
24	_____	_____	_____	_____	_____	_____
25	_____	_____	_____	_____	_____	_____
26	_____	_____	_____	_____	_____	_____
27	_____	_____	_____	_____	_____	_____
28	_____	_____	_____	_____	_____	_____
29	_____	_____	_____	_____	_____	_____
30	_____	_____	_____	_____	_____	_____
31	_____	_____	_____	_____	_____	_____
32	_____	_____	_____	_____	_____	_____


Maximum installation of command and indicating devices 22 (look 1/360) if our multi-axis controllers V 62 (look 1/100) are used.
Additional command and indicating devices can be installed if multi-axis controller V 64 or V 11 (look 1/110) are used.
(please enquire)

Pos. 1-8 alternative
max. 2 pcs. monitoring
devices 72 x 72 mm



Customer _____ Order No. _____

Position Nr.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Destination	Notes
35	_____	_____	_____	_____	_____	_____
36	_____	_____	_____	_____	_____	_____
37	_____	_____	_____	_____	_____	_____
38	_____	_____	_____	_____	_____	_____
39	_____	_____	_____	_____	_____	_____
40	_____	_____	_____	_____	_____	_____
41	_____	_____	_____	_____	_____	_____
42	_____	_____	_____	_____	_____	_____
43	_____	_____	_____	_____	_____	_____
44	_____	_____	_____	_____	_____	_____
45	_____	_____	_____	_____	_____	_____
46	_____	_____	_____	_____	_____	_____
47	_____	_____	_____	_____	_____	_____
48	_____	_____	_____	_____	_____	_____
49	_____	_____	_____	_____	_____	_____
50	_____	_____	_____	_____	_____	_____
51	_____	_____	_____	_____	_____	_____
52	_____	_____	_____	_____	_____	_____
53	_____	_____	_____	_____	_____	_____
54	_____	_____	_____	_____	_____	_____
55	_____	_____	_____	_____	_____	_____
56	_____	_____	_____	_____	_____	_____
57	_____	_____	_____	_____	_____	_____
58	_____	_____	_____	_____	_____	_____
59	_____	_____	_____	_____	_____	_____
60	_____	_____	_____	_____	_____	_____
61	_____	_____	_____	_____	_____	_____
62	_____	_____	_____	_____	_____	_____
63	_____	_____	_____	_____	_____	_____
64	_____	_____	_____	_____	_____	_____
65	_____	_____	_____	_____	_____	_____
66	_____	_____	_____	_____	_____	_____



Maximum installation of command and indicating devices 22 (look 1/360) if our multiaxis controllers V 62 (look 1/100) are used. Additional command and indicating devices can be installed if multi-axis controller V 64 or V 11 (look 1/110) are used. (please enquire)

Pos. 35-42 alternative max. 2 pcs. monitoring devices 72 x 72 mm