

VS-12DP-IR

1x2 DisplayPort Switcher with IR













The VS-12DP-IR is a high-performance switcher for DisplayPort signals. The unit takes one DisplayPort (DP) input and switches the signal to one of two outputs.

FEATURES

- Max. Data Rate 10.8Gbps (2.7Gbps per video stream).
- Maximum Resolution 2560x1600 pixels.
- HDTV Compatible.
- HDCP Compliant.
- EDID PassThru Passes EDID signals between the source and display.
- Flexible Control Options Front panel buttons, IR remote, contact closure switching.
- Compact DigiTOOLS® 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.

VS-12DP-IR

TECHNICAL SPECIFICATIONS

INPUT: 1 DisplayPort connector.

OUTPUTS: 2 DisplayPort connectors.

BANDWIDTH: Supports up to 2.7Gbps bandwidth per graphic channel.

COMPLIANCE WITH HDMI STANDARD: Supports: DisplayPort 1.1 and HDCP 1.3.

CONTROLS: Output select button, IR remote control, contact closure remote control pins.

INDICATOR LEDs: OUT 1, OUT 2, and ON LEDs.

POWER CONSUMPTION: 5V DC, 70mA.

DIMENSIONS: 12cm x 7.15cm x 2.44cm (4.7" x 2.81" 0.96") W, D, H.

WEIGHT: 0.3kg (0.66lbs) approx.

ACCESSORIES: Power supply, bracket installation kit.

OPTIONS: RK-3T 19" rack adapter.

